

FIBERGLASS REBARS / TIE-BARS



Fiber Dowels rebars / tie-bars are made of epoxy in comparison with fiberglasss. Rebars (short for reinforcing bar), is a fiber glass bar with fiber glass wires on top of it. Concrete is a material that is very strong in compression, but relatively weak in tension. To compensate for this imbalance in concrete's behavior, rebar is cast into it to carry the tensile loads.

Usage

Fiberglass rebars are placed in longitudinal joints. What's important to remember is that the design of the structure is based on having the fiberglass bars in the right place. Incorrect reinforcing placement can led to serious concrete structural failures.

Toepassingsgebied

Tie bars are typically placed after PCC placement either by hand or using a tie bar inserter attachment. On slipform pavers, tie bars are inserted on slab edges that will become longitudinal joints and, if two lanes at once are being paved, pushed into a mid-slab area (similar to dowel bar insertion) that will later be cut as a longitudinal joint.

Benefits

- > Less weight than steel.
- CO2 friendly, fiber glass can be re-used directly after breaking up concrete.
- > Higher tensile strength.
- Corrosion isnt possbile so longer life span of the concrete.

Product description

Fiberglass rebars are on demand available in all sizes. The standard sizes in Europe are diameter 16 or 20. With the lenghts 600mm or 800mm. Other sizes are available on demand.

Technical details / Fiberglass rebars

 Shear strength
 162 MPa

 Tensile strength
 1000 MPa

 E-Modulus
 50 - 55 Gpa

 Metal free
 100%

 Diameter tolerance
 0,1mm +/

 Density
 1900 - 2000 kg/m3

Fiber volume 70% fiber

Components 70% ECR fiberglass with 30%

resin

Corrosion resistant Yes
Weight kg/m3 1900

Higher tensile strength 600 - 1600 N/mm2

Chloride resistantYesConducts radio wavesNoThermal conductivity0,25%DiamagneticJaColorBeige

<u>Storage</u>

Can easily stored outside cause the dowels arent sensitive for corrosion.

Test results

Rebars are completely tested and researched. Results can be sent on demand.

Safety

This rebars are safe in use when used properly and placed 100% horizontally

